

UTAH DIVISION OF OIL AND GAS CONSERVATION

REMARKS: WELL LOG _____ ELECTRIC LOGS _____ FILE X WATER SANDS _____ LOCATION INSPECTED _____ SUB. REPORT/abd. _____*Location abandoned - 10-16-75*

DATE FILED 6-8-73

LAND: FEE & PATENTED

STATE LEASE NO.

PUBLIC LEASE NO. U-03759

INDIAN

DRILLING APPROVED: 6-12-73

SPUDDED IN:

COMPLETED:

PUT TO PRODUCING:

INITIAL PRODUCTION:

GRAVITY A.P.I.

GOR:

PRODUCING ZONES:

TOTAL DEPTH:

WELL ELEVATION:

DATE ABANDONED:

FIELD:

UNIT:

COUNTY: Grand

WELL NO. LANSDALE-VUKASOVICH FED. #23

APT. NO: 43-019-30160

LOCATION 330' FT. FROM (N) ~~BY~~ LINE, 724'FT. FROM ~~BY~~ (W) LINE. NE NW NW 1/4 - 1/4 SEC. 14

TWP.	RGE.	SEC.	OPERATOR	TWP.	RGE.	SEC.	OPERATOR
				21 S	23 E	14	VUKASOVICH DRILLING CO.

Revocation of permit to drill
location abandoned - 10/16/75

FILE NOTATIONS

Entered in NID File
Location Map Pinned
Card Indexed

Checked by Chief *PWB*
Approval Letter *6-12-73*
Disapproval Letter

COMPLETION DATA:

Date Well Completed

Location Inspected

OW...✓... WW..... TA.....

Bond released

GW...✓... OS..... PA.....

State or Fee Land

LOGS FILED

Driller's Log.....

Electric Logs (No.)

E..... I..... Dual I Lat..... GR-N..... Micro.....

BHC Sonic GR..... Lat..... MI-L..... Sonic.....

CBLog..... CCLog..... Others.....

exclusive "Padded Shoulder" Feature

oxford

H

11-15-90
ja

SUBMIT IN TRIPLICATE*

(Other instructions on reverse side)

THE STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL & GAS CONSERVATION

APPLICATION FOR PERMIT TO DRILL, DEEPEN, OR PLUG BACK

1a. TYPE OF WORK

DRILL ☒DEEPEN ☐PLUG BACK ☐

b. TYPE OF WELL

OIL WELL ☒GAS WELL ☒

OTHER

SINGLE ZONE ☐MULTIPLE ZONE ☐

2. NAME OF OPERATOR

J. Vukasovich Drilling

3. ADDRESS OF OPERATOR

P. O. Box 1965, Grand Junction, Colorado 81501

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.)*

At surface

Sec. 14, NW $\frac{1}{4}$ NW $\frac{1}{4}$, T.21S., R.23E., SLBM

At proposed prod. zone

Entrada - Dakota - Morrison - Buckhorn

14. DISTANCE IN MILES AND DIRECTION FROM NEAREST TOWN OR POST OFFICE*

8 miles North of Cisco, Utah

15. DISTANCE FROM PROPOSED*

LOCATION TO NEAREST

PROPERTY OR LEASE LINE, FT.

(Also to nearest drlg. line, if any)

724' FWL & 330' FNL

18. DISTANCE FROM PROPOSED LOCATION*

TO NEAREST WELL, DRILLING, COMPLETED, OR APPLIED FOR, ON THIS LEASE, FT.

16. NO. OF ACRES IN LEASE

240

19. PROPOSED DEPTH

1800' ✓

17. NO. OF ACRES ASSIGNED TO THIS WELL

Full

20. ROTARY OR CABLE TOOLS

Rotary

21. ELEVATIONS (Show whether DF, RT, GR, etc.)

GR 4453.7

22. APPROX. DATE WORK WILL START*

Immediately

23.

PROPOSED CASING AND CEMENTING PROGRAM

SIZE OF HOLE	SIZE OF CASING	WEIGHT PER FOOT	SETTING DEPTH	QUANTITY OF CEMENT
8 5/8"	7"	12#	150'	100%
6 1/4"	4 1/2"	9 1/2#	1800'	100%

Schaffer blow out preventors will be used with blind rams and pipe rams. This equipment is all automatically controlled. Cement between the 4 1/2" casing and the hole will be filled to 100' above the uppermost hydracarbon zones in all areas. All road work and rehabilitation work will be coordinated with the B.L.M. office in Moab, Utah.

IN ABOVE SPACE DESCRIBE PROPOSED PROGRAM: If proposal is to deepen or plug back, give data on present productive zone and proposed new productive zone. If proposal is to drill or deepen directionally, give pertinent data on subsurface locations and measured and true vertical depths. Give blowout preventer program, if any.

24.

SIGNED

L. R. Robinson

TITLE

Agent

DATE

6/6/73

(This space for Federal or State office use)

PERMIT NO.

43-019 30160

APPROVAL DATE

APPROVED BY


TITLE

DATE

CONDITIONS OF APPROVAL, IF ANY:

*See Instructions On Reverse Side

WELL LOCATION
NW 1/4 NW 1/4 SECTION 14
T 21 S R 23 E S.L.B. & M.



I, Richard J. Mandeville do hereby certify that this plat was plotted from notes of a field survey made under my direct responsibility, supervision and checking on May 30, 19 73.

Richard J. Mandeville
Registered Land Surveyor

WESTERN ENGINEERS, INC.
WELL LOCATION

J. VUKASOVICH NO 23


GRAND COUNTY, UTAH

SURVEYED J.B.P. DRAWN R.W.Q.

GRAND JUNCTION, COLO. 6/1/73

T
21
S

100.0'



PROPOSED ROAD

100.0'

LIMIT - 1.0' CUT

PIPE RACKS

MUD TANK

MUD
PUMP


RIG

AUX.

RESERVE
PIT

Refuse Pit

100.0'



100.0'

SCALE: 1" = 20'

Drains to
Cisco Wash

R 23 E
NW 1/4 NW 1/4 SECTION 14
S.L.B. & M.

WESTERN ENGINEERS, INC.
PROPOSED ROAD LOCATION
SITE LAYOUT

TO J. VUKASOVICH NO. 23

GRAND COUNTY, UTAH

DRAWN GLA

GRAND JUNCTION, COLO. 6/1/73

June 6, 1973

Mr. Gerald Daniels
U.S.G.S. District Engineer.
8th Floor, Federal Building
Salt Lake City, Utah 84111

Dear Sir:

J. Vukasovich Drilling, Box 1965 of Grand Junction, Colorado, wishes to make application to drill on Federal Lease No. U-03759 containing 1,117.72 acres located as follows: Section 9, SW $\frac{1}{4}$ SW $\frac{1}{4}$; Section 10, SW $\frac{1}{4}$ SW $\frac{1}{4}$; Section 11, SW $\frac{1}{4}$ NW $\frac{1}{4}$; Section 14, NW $\frac{1}{4}$ NW $\frac{1}{4}$, T. 21 S., R. 23 E., S.L.B.M., Grand County, Utah.

In addition to information given in "Application for Permit to Drill" may we submit the following information on plan of development:

1. Existing Roads: Attached photo copy of U.S.G.S. quadrangle shows main highways and roads leading to well locations in Sections 9, 10, 22, and 14, T. 21 S., R. 23 E., Grand County, Utah.
2. Planned Access Roads: Easterly from Cunningham Ranch Road in Section 18, thence east through Sections 17 and 16 to Cisco Wash, thence North to Section 10, SW $\frac{1}{4}$ SW $\frac{1}{4}$ to Well No. 25. Southeasterly through Section 15, Northeasterly to Section 11, south to Section 14, NW $\frac{1}{4}$ NW $\frac{1}{4}$ to well No. 23. Take existing road from Section 3, due south through Section 3 and part of Section 2 to Section 11, SW $\frac{1}{4}$ NW $\frac{1}{4}$ to Well No. 22. Road to be built 1/2 mile from Cunningham Ranch road, Northeasterly through Section 18, 17 and 8 to Section 9, SW $\frac{1}{4}$ SW $\frac{1}{4}$ to Well No. 24. The lessee agrees to upgrade the roads to any well or other improvement which is regularly maintained or inspected as directed by the District Manager's Authorized Representative if any well becomes a producer or if any improvement is needed for the sustained production of oil and gas, I.E. gauging stations, cathodic stations, etc. Such upgrading may include ditching and draining, culverts, and graveling or capping of the road bed.
3. Location of Wells: J. Vukasovich No. 25 has gas wells M-2 and M-6 to the East in the S 1/2 NE 1/4 Section 10, D-M 3 Gas Well lies East of J. Vukasovich in the SE 1/4 NE 1/4 Section 3.

Mr. Gerald Daniels

June 6, 1973

Page 2 -----

4. Lateral roads to well's location: (See attached map).
5. Location of tank batteries and flowlines: A tank battery will be set up after rig is cleared and location graded; flowlines will be laid depending on location of main trunk line.
6. Location and types of water supply: Water will be hauled from the Colorado River 7 miles to the southeast. Well will be drilled with air and air mist.
7. Methods for handling waste disposal: (See location plat layout). Liquid wastes will be temporarily allowed to stand in reserve pit; solid wastes will go to the refuse pit and be removed after drilling.
8. Location of camps: NO camp required.
9. Location of airstrip: NO airstrip required.
10. Location Layout: (see plat of rig and tank layout.)
11. Plans for restoration of the surface: After drilling is completed and drilling equipment is removed, surface will be filled and graded with soil and Mancos Shale, and gravel base for tanks and driveways to production facilities.
12. Other information: Beaman Drilling Rig No. 2 is equipped with A.P.I. series 900 Double Ram Blowout preventers and these will be tested before drilling out under surface pipe and checked daily or when drill pipe comes out of the hole.

J. Vukasovich trusts that the above drilling proposal together with maps, charts and forms, will provide the necessary information to grant a permit and allow us to proceed with our drilling for oil and/or gas on J. Vukasovich No. 22, 23, 24, and 25 in Sections 9, 10, 11, and 14, T.21S., R.23E., S.L.M.B., Grand County, Utah.

Very truly yours,

L. R. Robinson

J. Vukasovich Drilling
by L. R. Robinson, Agent

LSR/k1b

Phon Return

VUKASOVICH DRILLING
P. O. Box 1965
Grand Junction, Colorado 81501

June 6, 1973

Mr. Gerald Daniels
U.S.G.S. District Engineer
8th Floor, Federal Building
Salt Lake City, Utah 84111

Elevations not included on plot plans for
J. Vukasovich Wells:

#12	4526.7
#13	4595.4
#14	4563.3
#15	4538.5
#16	4498.6
#17	4587.8
#18	4522.1
#19	4593.6
#20	4557.5
#21	4566.2
#22	4466.5
#23	4453.7
#24	4445.3
#25	4398.7

June 12, 1973

J. Vukasovich Drilling Co.
Box 1965
Grand Junction, Colorado 81501

Re: Well No's:
Lansdale-Vukasovich Fed. #22
Sec. 11, T. 21 S, R. 23 E,
~~Lansdale-Vukasovich Fed. #23~~
Sec. 14, T. 21 S, R. 23 E,
Lansdale-Vukasovich Fed. #24
Sec. 9, T. 21 S, R. 23 E,
Lansdale-Vukasovich Federal #25
Sec. 10, T. 21 S, R. 23 E,
Grand County, Utah

Gentlemen:

Insofar as this office is concerned, approval to drill the above referred to well is hereby granted in accordance with the Order issued in Cause No. 102-5.

Should you determine that it will be necessary to plug and abandon these wells, you are hereby requested to immediately notify the following:

PAUL W. BURCHELL - Chief Petroleum Engineer
HOME: 277-2990
OFFICE: 328-5771

Enclosed please find Form OGC-8-X, which is to be completed whether or not water sands (aquifers) are encountered during drilling. Your cooperation relative to the above will be greatly appreciated.

The API number assigned to these wells is:

#22:	43-019-30159	#23:	43-019-30160
#24:	43-019-30161	#25:	43-019-30162

Very truly yours,

DIVISION OF OIL & GAS CONSERVATION

CLEON B. FEIGHT
DIRECTOR

4

VUKASOVICH DRILLING

PMB

P. O. BOX 1965
GRAND JUNCTION, COLORADO 81501

April 16. 1974

Mr. Paul Burchell :

Paul we try and drill all the wells we have set
up to drill this year, if can find a rig and pipe.

Re: Wellno's:

Federal # 12.

Sec. 33 T. 20 S. R. 23 E.

Federal # 13.

Sec. 33 T. 20 S. R. 23 E.

Federal # 14.

Sec. 33 T. 20 S. R. 23 E.

Federal # 15.

Sec. 33 T. 20 S. R. 23 E.

Federal 20.

Sec 31. T. ") S. R. 23 E.

Federal # 23.

Sec 14 T. 21 S. R. 23 E.

Federal # 26.

Sec. 6 T. 21 S. R. 23 E.

Grand County, Utah

Very truly yours,


L. R. Robinson

L. R. Robinson



United States Department of the Interior

GEOLOGICAL SURVEY
Conservation Division
8426 Federal Building
Salt Lake City, Utah 84038



October 16, 1975

Vukasovich Drilling
Box 1965
Grand Junction, Colorado 81501

Re: Revocation of Applications
for Permit to Drill

Gentlemen:

Your letter of October 2, 1975, states that your company agrees to the revocation of the permits to drill for the locations listed below.

<u>Well No.</u>	<u>Location</u> ($\frac{1}{4}$ Sec., T., R.,)	<u>Approval Date</u>	<u>Lease No.</u>
15	SWSW 33-20S-23E	June 27, 1973	U-21705-A
23	NWNW 14-21S-23E	June 27, 1973	U-03759
12	NESE 33-20S-23E	June 27, 1973	U-22683
13	NENE 33-20S-23E	June 27, 1973	U-22683
14	NWNW 33-20S-23E	June 27, 1973	U-22683
20	Lot 1 31-20S-23E	June 27, 1973	U-22683

Approval of these applications are rescinded effective October 2, 1975, without prejudice.

In the event that you desire to again drill at any of these locations, please re-submit an Application for Permit to Drill.

Sincerely yours,

James W. Shelton
James W. Shelton
Acting District Engineer

cc: Michael Phifer
L. R. Robinson
State of Utah O&G Cons. Comm.
Area Manager, BLM, Moab